

Anhydrous Milkfat (AMF)

Production Definition:

Anhydrous Milkfat or Butteroil is manufactured from pasteurized cream or butter by removing water and solids nonfat. The flavor characteristics are comparable to that of USDA Grade AA or USDA Grade A Butter.

<u>Typical Compositional Range (Percentage)</u>₁

Microbiological Analysis

Fat2	>= 99.8	Standard Plate Counts	< 30,000/g
Moisture2	<= 0.1	Coliform2	< 10/g
Peroxide value	<= 0.1 meq/kg	Yeast	< 20/g
Free Fatty Acid	<= 0.3 as oleic	Mold	< 20/g

Other Characteristics

Body	Semi soft at room temperature
Color2	
Flavor2	bland, clean

Ingredient Statement
"Anhydrous Milkfat" or Butteroil"

Production Applications and Functionality

Baked goods, prepared foods and confectionary products

Storage & Shipping

Butteroil should be kept in poly-lined cartons under refrigerated (32°F to 38°F; 0°C to 3°C) conditions for up to 6 months or frozen (-10°F to -20°F; -23°C to -29°C) for up to one (1) year.

Packaging

Packaged in 25KG (55.115 lb.) or 68 lb blocks, 220 & 275 gallon totes and tankers.

1 On an "as is" basis

^{*}The information contained herein is, to the best of our knowledge, correct. No warranties, expressed or implied, are made. This information is offered solely for your investigation, verification, and consideration. It is suggested that you evaluate the product prior to use in production.*